

WIND-1		DIAPHRAGM = 172 PLF				DIAPHRAGM = PLF				DIAPHRAGM = PLF				DIAPHRAGM = PLF				DIAPHRAGM = PLF				DIAPHRAGM = PLF				DIAPHRAGM = PLF				DESIGN LOADS	
SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	WIND-ROOF PSF	
A	210 PLF	48/48"	2	A				A				A				A				A				A				1-30	
B	210 PLF	48/48"	2	B				B				B				B				B				B					
C				C				C				C				C				C				C					
D				D				D				D				D				D				D					
E				E				E				E				E				E				E					
F				F				F				F				F				F				F					
G				G				G				G				G				G				G					

RETURN AIR REQUIREMENTS

1. 20"x16" GRILL REQUIRED
2. 4"x10" GRILL W/ 2 1/2" DOOR UNDERCUT
3. DOOR(S) MUST BE UNDERCUT 2 1/2" MIN.
4. 4"x24" OR 6"x14" GRILL REQUIRED

◇2 INDICATES REQUIRED NUMBER OF STUDS IN COLUMN

◇6* THE * SPECIFIES THAT THERE CAN BE NO HOLES IN STUDS IN COLUMNS

BRAND: SCHULT

SERIES: MH28

CMH MANUFACTURING, INC.

REVISIONS	BY	DATE
ADDED 30" PASSAGE DOORS THRU-OUT & SHELF BACKERS	SSM	01/03/12
MADE WASHER WALL 6"	JMF	04/08/11
INSTALLED 32" PASSAGE DOORS THRU-OUT	SSM	02/09/11
BATH 1 & 2 LAV LIGHTS REVISED & ALSO ADDED 1 LIGHT TO BATH 2	JMF	12/17/10
CHANGED ALL PASSAGE DOORS TO 30"	SSM	02/24/10

GENERAL NOTES

- CEILING HEIGHT = 90.00
- REFER TO DAPIA PAGE MMP-2.0 FOR AREA LIGHT & VENT
- REFER TO DAPIA PAGE EL-1.2 FOR ELEC. SYMBOL & BRANCH CIRCUIT NUMBER
- FLOOR FRAMING SPACING = 16
- TOTAL WINDOW SQFT = 90.67

DRAWING TITLE

MASTER PLAN

MODEL NAME	SQ. FT.
2012 GM SPECIAL-363907	1328

PLANT	DESCRIPTION	MODEL NO.
954	28X48 3BR-2BA	R4828-65

DRAWN BY	ORIG. DATE	DATE PRINTED	SHEET NO.
CLD	01/03/2012	01/03/2012	1-1

PDF created with pdfFactory trial version www.pdffactory.com