

WIND-1		DIAPHRAGM = 172 PLF		WIND-1 (5:12)		DIAPHRAGM = 172 PLF				DIAPHRAGM = PLF						DIAPHRAGM = PLF						DIAPHRAGM = PLF						DIAPHRAGM = PLF				DESIGN LOADS	
SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	SHEARWALL	DESIGN PLF	SHEAR AREA	JOISTS	WIND-ROOF PSF	
A	210 PLF	112"	2	A	420 PLF	48/48"	4	A				A				A				A				A				1-30	
B	210 PLF	112"	2	B	420 PLF	48/48"	4	B				B				B				B				B					
C				C				C				C				C				C				C					
D				D				D				D				D				D				D					
E				E				E				E				E				E				E					
F				F				F				F				F				F				F					
G				G				G				G				G				G				G					

RETURN AIR REQUIREMENTS

1. 20"x16" GRILL REQUIRED
2. 4"x10" GRILL W/ 2 1/2" DOOR UNDERCUT
3. DOOR(S) MUST BE UNDERCUT 2 1/2" MIN.
4. 4"x24" OR 6"x14" GRILL REQUIRED

◇F INDICATES REQUIRED NUMBER OF STUDS IN COLUMN

◇F* THE * SPECIFIES THAT THERE CAN BE NO HOLES IN STUDS IN COLUMNS

BRAND	SERIES
SCHULT	MH28

CMH MANUFACTURING, INC.

REVISIONS	BY	DATE

GENERAL NOTES

CEILING HEIGHT = 90.00

REFER TO DAPIA PAGE MMP-2.0 FOR AREA LIGHT & VENT

REFER TO DAPIA PAGE EL-1.2 FOR ELEC. SYMBOL & BRANCH CIRCUIT NUMBER

FLOOR FRAMING SPACING = 16

TOTAL WINDOW SQFT = 99.3

DRAWING TITLE

MASTER PLAN

MODEL NAME	SQ. FT.
MAIN STREET-363491	1328

PLANT	DESCRIPTION	MODEL NO.
954	28X48 3BR-1.5BA	R3828-24

DRAWN BY	ORIG. DATE	DATE PRINTED	SHEET NO.
SSM	06/21/2011	06/21/2011	1-1

PDF created with pdfFactory trial version www.pdffactory.com